

Feel the Power of Water



 **Sourced in
America**
MADE IN NEW YORK



A photograph of a hot tub with bubbling water, set against a background of a grassy field and a blue sky with light clouds. The hot tub is white and has several jets visible. The water is a vibrant blue-green color with white foam from the bubbles. The background shows a line of trees and a clear sky.

TABLE OF CONTENTS

| | |
|--------------------------------------|-------|
| Keene | 2 |
| Champlain | 3 |
| Cascade | 4 |
| Marcy | 5 |
| Georgian | 6 |
| Thermal Bond Insulation System | 7 |
| Duo Clean™ System | 8 |
| Continuous Clean System..... | 9 |
| Performance Tune Rating | 10 |
| SE & LE Differences..... | 11 |
| Adirondack Advantages | 12-13 |

Keene

Passive Impact™ CFE Therapy System

| | |
|------------------------|----------|
| Power Massage®..... | 1 |
| TOTAL JETS..... | 1 |

Direct Impact™ Therapy System

| | |
|------------------------|-----------|
| Versa-Flo™ Jets | 19 |
| TOTAL JETS..... | 20 |

Dimensions

| | |
|---------------------------|----------------------|
| Width | 57" |
| Length | 80" |
| Height | 29" |
| Average Fill | 150 GL |
| Dry Weight..... | 385 LB |
| Average Full Weight | 1638 LB |
| Seating Capacity..... | 2 |
| Power Pack..... | 220V/50A 110V/20A |
| (1) 2 Speed Pump..... | 140 GPM |



Features & Options

Thermal Bond™ Insulation System

- Sealed Base
- Thermal Bond™ Wrap Insulation
- Deluxe Spa Cover

Duo Clean™ System

- Duo Circulation™ Cycles
- Antimicrobial Filtration
- Duo Zone™ Ozone

Standard System

- Top Loading Skimmer
- Treaded Footwell
- Footwell Spa Drain
- Adirondack LED Lighting
- 7/3/2 Warranty
- TriLayer™ Spa Shell
- Multi Weather™ Cabinet
- Duo Tone™ Jet Accents
- Duo Zone™ Ozone

Optional Packages Available*

- Thermal Bond™ Full Foam Insulation
- Check-In Wifi Module

LE Package* - Adds the Following:

- Thermal Bond™ Full Foam Insulation
- Continuous Circulation Pump
- Upgraded Pack
- Stainless Steel Accents
- Sealed Base with Slide Rail System
- Shell Trim



*Additional Costs
See Adirondack Spas® Dealer Price Sheet

Champlain

Passive Impact™ CFE Therapy System

| | |
|---------------------|---|
| Power Massage®..... | 1 |
| TOTAL JETS..... | 1 |

Direct Impact™ Therapy System

| | |
|-----------------------|----|
| Versa-Flo™ Jets | 24 |
| TOTAL JETS..... | 25 |

Dimensions

| | |
|---------------------------|----------|
| Width | 67" |
| Length | 80" |
| Height | 34" |
| Average Fill | 240 GL |
| Dry Weight..... | 500 LB |
| Average Full Weight | 2504 LB |
| Seating Capacity..... | 3-4 |
| Power Pack..... | 220V/50A |
| (1) 2 Speed Pump..... | 195 GPM |



Features & Options

Thermal Bond™ Insulation System

- Sealed Base
- Thermal Bond™ Wrap Insulation
- Deluxe Spa Cover

Duo Clean™ System

- Duo Circulation™ Cycles
- Antimicrobial Filtration
- Duo Zone™ Ozone

Standard System

- Top Loading Skimmer
- Treaded Footwell
- Footwell Spa Drain
- Built-In Headrests
- Adirondack LED Lighting
- Slide Valves
- 7/3/2 Warranty
- TriLayer™ Spa Shell
- LED Water Feature
- Multi Weather™ Cabinet
- Duo Tone™ Jet Accents
- Duo Zone™ Ozone

Optional Packages Available*

- Thermal Bond™ Full Foam Insulation
- Check-In Wifi Module

LE Package* - Adds the Following:

- Thermal Bond™ Full Foam Insulation
- Continuous Circulation Pump
- Upgraded Pack
- Stainless Steel Accents
- Sealed Base with Slide Rail System
- Shell Trim



*Additional Costs
See Adirondack Spas® Dealer Price Sheet

Cascade

Passive Impact™ CFE Therapy System

| | |
|---------------------|---|
| Power Massage®..... | 1 |
| TOTAL JETS..... | 1 |

Direct Impact™ Therapy System

| | |
|-----------------------|----|
| Versa-Flo™ Jets | 41 |
| TOTAL JETS..... | 42 |

Dimensions

| | |
|---------------------------|----------|
| Width | 84" |
| Length | 84" |
| Height | 38" |
| Average Fill | 375 GL |
| Dry Weight..... | 780 LB |
| Average Full Weight | 3911 LB |
| Seating Capacity..... | 5-6 |
| Power Pack..... | 220V/50A |
| (1) 2 Speed Pump..... | 195 GPM |
| (1) 1 Speed Pump..... | 195 GPM |

Features & Options

Thermal Bond™ Insulation System

- Sealed Base
- Thermal Bond™ Wrap Insulation
- Deluxe Spa Cover

Duo Clean™ System

- Duo Circulation™ Cycles
- Antimicrobial Filtration
- Duo Zone™ Ozone

Standard System

- Top Loading Skimmer
- Treaded Footwell
- Footwell Spa Drain
- Built-In Headrests
- Adirondack LED Lighting
- Slide Valves
- 7/3/2 Warranty
- TriLayer™ Spa Shell
- LED Water Feature
- Multi Weather™ Cabinet
- Duo Tone™ Jet Accents
- Duo Zone™ Ozone

Optional Packages Available*

- Thermal Bond™ Full Foam Insulation
- Bluetooth Audio System
- Check-In Wifi Module

LE Package* - Adds the Following:

- Thermal Bond™ Full Foam Insulation
- Continuous Circulation Pump
- Upgraded Pack
- Stainless Steel Accents
- Sealed Base with Slide Rail System
- Shell Trim



*Additional Costs
See Adirondack Spas® Dealer Price Sheet

Marcy

Passive Impact™ CFE Therapy System

| | |
|---------------------|---|
| Power Massage®..... | 1 |
| TOTAL JETS..... | 1 |

Direct Impact™ Therapy System

| | |
|-----------------------|----|
| Versa-Flo™ Jets | 42 |
| TOTAL JETS..... | 43 |

Dimensions

| | |
|---------------------------|----------|
| Width | 84" |
| Length | 84" |
| Height | 38" |
| Average Fill | 375 GL |
| Dry Weight..... | 750 LB |
| Average Full Weight | 3880 LB |
| Seating Capacity..... | 5 |
| Power Pack..... | 220V/50A |
| (1) 2 Speed Pump..... | 195 GPM |
| (1) 1 Speed Pump..... | 195 GPM |

Features & Options

Thermal Bond™ Insulation System

- Sealed Base
- Thermal Bond™ Wrap Insulation
- Deluxe Spa Cover

Duo Clean™ System

- Duo Circulation™ Cycles
- Antimicrobial Filtration
- Duo Zone™ Ozone

Standard System

- Top Loading Skimmer
- Treaded Footwell
- Footwell Spa Drain
- Built-In Headrests
- Adirondack LED Lighting
- Slide Valves
- 7/3/2 Warranty
- TriLayer™ Spa Shell
- LED Water Feature
- Multi Weather™ Cabinet
- Duo Tone™ Jet Accents
- Duo Zone™ Ozone

Optional Packages Available*

- Thermal Bond™ Full Foam Insulation
- Bluetooth Audio System
- Check-In Wifi Module

LE Package* - Adds the Following:

- Thermal Bond™ Full Foam Insulation
- Continuous Circulation Pump
- Upgraded Pack
- Stainless Steel Accents
- Sealed Base with Slide Rail System
- Shell Trim



*Additional Costs
See Adirondack Spas® Dealer Price Sheet

Georgian

Passive Impact™ CFE Therapy System

| | |
|---------------------|---|
| Power Massage®..... | 1 |
| TOTAL JETS..... | 1 |

Direct Impact™ Therapy System

| | |
|----------------------|----|
| Versa-Flo™ Jets..... | 55 |
| TOTAL JETS..... | 56 |

Dimensions

| | |
|--------------------------|----------|
| Width..... | 89" |
| Length..... | 93" |
| Height..... | 40" |
| Average Fill..... | 525 GL |
| Dry Weight..... | 920 LB |
| Average Full Weight..... | 5302 LB |
| Seating Capacity..... | 6 |
| Power Pack..... | 220V/50A |
| (1) 2 Speed Pump..... | 240 GPM |
| (1) 1 Speed Pump..... | 240 GPM |

Features & Options

Thermal Bond™ Insulation System

- Sealed Base
- Thermal Bond™ Wrap Insulation
- Deluxe Spa Cover

Duo Clean™ System

- Duo Circulation™ Cycles
- Antimicrobial Filtration
- Duo Zone™ Ozone

Standard System

- Top Loading Skimmer
- Treaded Footwell
- Footwell Spa Drain
- Built-In Headrests
- Adirondack LED Lighting
- Slide Valves
- 7/3/2 Warranty
- TriLayer™ Spa Shell
- LED Water Feature
- Multi Weather™ Cabinet
- Duo Tone™ Jet Accents
- Duo Zone™ Ozone

Optional Packages Available*

- Thermal Bond™ Full Foam Insulation
- Bluetooth Audio System
- Check-In Wifi Module

LE Package* - Adds the Following:

- Thermal Bond™ Full Foam Insulation
- Continuous Circulation Pump
- Upgraded Pack
- Stainless Steel Accents
- Sealed Base with Slide Rail System
- Shell Trim



*Additional Costs
See Adirondack Spas® Dealer Price Sheet

THERMAL BOND™ INSULATION SYSTEM



The Thermal Bond™ Wrap Insulation System is standard on all Adirondack Spas™ models and utilizes three key components in providing efficient heat retention and lower operating costs. First and foremost is the spa cover that seals in the heat from the top. Secondly we use the Thermal Bond™ Wrap Insulation to retain warm air that is created inside the spa cabinet. Thirdly, the sealed base helps keep warm air in and cold air out of the bottom of the spa cabinet. These three components allow you to be soaking in a spa that is designed to be ready when you are.

Thermal Bond™ Full Foam*



Thermal Bond™ Full Foam is designed as an optional upgrade insulation. This system provides a higher level of heat retention inside the spa cabinet. Ask your Dealer about model availability.

Multi Weather™ Exterior



The Multi Weather™ exterior is designed as a low maintenance and durable product. It is designed for easy care while continuing to look great for years to come.

*Standard on LE Models

DUO CLEAN™ SYSTEM

(SE Models)

Always clean, always warm, always inviting. The Multi Clean™ System is customizable allowing proper circulation in combination with cleansing Antimicrobial Filtration, providing spa water that is maintained efficiently and effectively.



Antimicrobial Filtration

The Antimicrobial Filtration is designed to inhibit odor, mold and mildew on the surface of the filter cartridge. The Duo Clean™ System is designed to circulate water through these Antimicrobial cartridges. This will ensure your spa water has been properly filtered.



Duo Zone™ Ozone Ready

Environmentally friendly Ozone, a natural sanitizer, will help in providing a better soaking atmosphere in your spa water. Adirondack Spas® come standard with Duo Zone™ Ozone.



Duo Clean™ System

Adirondack Spas® have Duo Clean™ Circulation Cycles designed for your lifestyle. This system can circulate and filter thousands of gallons of water using up to four different circulation cycles.



Adirondack Spas® Operations Center

The Operations Center contains Lifestyle Programming spa functions to fit all user preferences and schedules. The Horizontal Mount Heater thermostatically keeps the spa always ready to use in the most efficient way possible.

CONTINUOUS CLEAN SYSTEM

(LE Models)

Always clean, always warm, always inviting. The Continuous Clean System operates continuously, allowing proper circulation in combination with cleansing Antimicrobial Filtration and ozone injection providing spa water that is maintained efficiently and effectively.

Antimicrobial Filtration

The Antimicrobial Filtration is designed to inhibit odor, mold and mildew on the surface of the filter cartridge. The Continuous Clean system is designed to circulate water through these Antimicrobial cartridges. This will ensure your spa water has been properly filtered.



Duo Zone™ Ozone

Ozone, a natural sanitizer, will help in providing a better spa soaking atmosphere. The Duo Zone™ Ozone generator is standard on your LE Model.



Continuous Circulation™ System

LE models use a dedicated 35 GPM pump to provide continuous water circulation while maintaining cost-efficiency. This Continuous Circulation™ system moves over 50,000 gallons of water per day.




Adirondack Spas® Operations System

Our Lifestyle Programming design provides the ultimate in user friendly controls while maintaining the sophistication of the latest diagnostic technology.



Heat On Demand/Operations Center

The Operations Center contains all the pre-programmed spa functions, while the Horizontal Mount Heater thermostatically controls the warming of the spa in the most efficient way possible.




HORSEPOWER VS. PERFORMANCE TUNED

HORSEPOWER • noun

1. A foot-pound-second unit of power, equivalent to 550 foot-pounds per second, or 745.7 watts.
2. Informal. The capacity to achieve or produce; strength or talent:

How is this relevant to your spa purchase?

Well quite frankly, it isn't.



Our engineers have a Performance Tune Rating for each model based on its components, not a flat, general pump rating. This provides clearer information regarding the actual performance of an Adirondack Spa® based on jet style, as well as the number of jets and pumps.

Performance Tuned Jet Placement is the true balance of GPM (Gallons Per Minute) and PSI (Pounds per Square Inch) involved in the therapy benefit of your spa.

True measures of an individual spa's performance can be found in the model specification sheet.

Two unique model platforms allow you to see & feel the difference...

SE models

Standard Features:

- Passive Impact CFE™ Therapy
- Direct Impact Versa-Flo™ Therapy
- Thermal Bond™ Wrap Insulation
- Duo Circulation™ System
- Duo Tone™ Gray Jets
- Deluxe Digital Controls
- Antimicrobial Filtration
- LED Water Feature
- Multi Weather™ Cabinets
- TriLayer™ Spa Shell
- Sealed Base



LE models

Standard Features:

- Passive Impact CFE™ Therapy
- Direct Impact Versa-Flo™ Therapy
- **Thermal Bond™ Full Foam Insulation**
- **Continuous Circulation™ System**
- **Stainless Jet Accents**
- Deluxe Digital Controls
- **Upgraded Pack**
- Antimicrobial Filtration
- LED Water Feature
- Multi Weather™ Cabinets
- TriLayer™ Spa Shell
- **Sealed Base with Slide Rail System**
- **Shell Trim**



LE Upgrades shown in Bold. Model shown with Duo Tone™ Gray Jets.

ADIRONDACK ADVANTAGES



Adirondack Spas® has over 35 years of industry experience in designing their Hydrotherapy Systems. So if relaxation is your destination, look no further than our uniquely engineered arrangement of jetting power and plumbing concepts.



1. Versa-Flo™ Air & Micro Valves
2. Adirondack Operations Center
3. Adirondack LED Lighting
4. Antimicrobial Filtration
5. Contoured Grabrail
6. Adjustable Jetting
7. Treaded Footwell
8. Foot Dome Therapy
9. Footwell Drain
10. Duo Tone™ Jet Accents*
11. TriLayer™ Shell with ProTegrity™
12. LED Water Feature

* Standard on SE Models Only.
Photo shown as Georgian SE.


Adirondack Operations Center

The Operations Center contains Lifestyle Programming spa functions to fit all user preferences and schedules. The Horizontal Mount Heater thermostatically keeps the spa always ready to use in the most efficient way possible.



Adirondack LED Lighting

Our Adirondack Spa™ LED Lighting system is a standard feature on the Adirondack Spa™ Line. This LED System uses key locations throughout the spa, offering an array of bright digital colors and sequences to increase your spa use enjoyment.



Bluetooth Audio System

Enjoy music in the comfort of your spa with Cottage's optional Bluetooth Streaming and Dual Speaker Systems. Ask your dealer about model availability.



Duo Tone™ Jet Accents

Duo Tone™ Jet accents are standard features on the Adirondack Spa™. They provide a modern look highlighting the spa's appearance.

***Stainless Jet Accents Available on LE Models**



LED Water Feature

Our Adirondack Spa™ LED Water Feature is a standard feature on the Adirondack Spa™ Line. This system uses streams of cascading water to enhance the spas atmosphere and increase your spa use enjoyment.



Thermal Bond™ Full Foam*

Thermal Bond™ Full Foam is designed as an optional upgrade insulation. This system provides a higher level of heat retention inside the spa cabinet. Ask your Dealer about model availability.



*** Standard on LE Models Only.**



ADIRONDACK SPAS AVAILABLE AT:



WARNING: The consumer products safety commission has stated that the water temperature in a spa or hot tub should not exceed 104°F. Immersion in water in excess of 104°F could be hazardous to your health. Children, aged persons, persons having medical problems, and pregnant women should consult their physicians before using a spa or a hot tub. Spas or hot tubs should not be used by persons under the influence of alcohol or by persons taking medications that cause drowsiness.

Saratoga Spa & Bath Co., Inc. reserves the right to make changes in product characteristics, standard equipment supplied or available at any time without notice. Not all features are available on all models. Please visit www.Adirondack-spas.com for the latest specifications and updates. All 60 cycle units (Domestic and Canada) are 240 volt 50 amps. All 50 cycle units (International) are 230 volt 16 amps. International 50hrz models may vary in specifications and features. Models with International specifications are only available through International Distributors.